




Product Name	Firefly Pendant Light LED Satellite Modern Ceiling Light
Style	Modern
Specification	Hardwired



This firefly pendant light blends satellite and firefly design for a unique atmospheric glow.

It suits home offices, living rooms and bedrooms with modern minimalist artistic style.

Simple bulb installation, stable metal base and efficient LED ensure durability and brightness.



· Basic Product Information



Product Model DZ5513O1A/ 0A/ 1M/ 0M/
1B/ 0B/ 1N/ 0N/
1C/ 0C/ 1O/ 0O

Product Type Modern Chandeliers

Power Type Hardwired

Product Color Gold

· Product Details

Material Iron



· Basic Product Information



Product Model DZ5513O01/ 11/ 1D/ 0D/
02/ 12/ 1E/ 0E/
03/ 13/ 1F/ 0F

Product Type Modern Chandeliers

Power Type Hardwired

Product Color Gold

· Product Details

Material Iron



· Basic Product Information



Product Model DZ5513O04/ 14/ 1G/ 0G/
05/ 15/ 1G/ 0G/
06/ 16/ 1I/ 0I

Product Type Modern Chandeliers

Power Type Hardwired

Product Color Gold

· Product Details

Material Iron



· Basic Product Information



Product Model DZ5513O07/ 17/ 1J/ 0J/
08/ 18/ 1K/ 0K/
09/ 19/ 1L/ 0L

Product Type Modern Chandeliers

Power Type Hardwired





Product Color Gold

· Product Details

Material Iron




• Core Specifications

<p>Length 14.0 inches Width 28.0 inches Depth 28.0 inches</p>	 <p>14 inches 28 inches</p>
<p>Length 14.0 inches Width 34.0 inches Depth 34.0 inches</p>	 <p>14 inches 34 inches</p>
<p>Length 14.0 inches Width 33.0 inches Depth 33.0 inches</p>	 <p>14 inches 33 inches</p>
<p>Length 14.0 inches Width 36.0 inches Depth 36.0 inches</p>	 <p>14 inches 36 inches</p>



Voltage	AC110V
Light Source Type	LED G4 Bulb
Light Source Included	Yes
Color Temperature	3000- 6000K
Dimmable	No
IP Rating	IP20

Hardwired



Blue: Neutral wire
Brown: Live wire
Yellow: Ground wire

Core Performance Indicators



Installation Method

Hanging - Easy installation: Install with rod, cord or chain suspended from ceiling.

Application Scenarios

Bedroom, Home Office, Living Room

Certifications

CE, ROHS, WEEE, CEC, DLC, IES

Color Temperature Adjustment

Neutral (4000K), Warm White (3000K), White (6000K), White (6500K)

Product Accessories

Fixture ×3, Lamp Shades ×27, G4 Bulb ×27, Hanger Rod ×2, Base ×1, Light Panel ×1, Power Cord ×1, Hanging Board ×1, Ground Wire ×1, Manual ×1, Screw Pack ×3



www.dazuma.us

+1 978-678-4855 (US Support)

hello@dazuma.us

Customer Service: Mon-Fri, 9am-6pm EST.

Online Service Team: 120 East Hollis Street, Nashua, NH 03060